

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L2	66	L1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L3	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L4	66	L3	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L5	11	"L data elements".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L6	1	"K subcolumns".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L7	0	"mapping the data elements".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:02
L8	1	"M vector register".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:02
S1	20	vector near5 register near5 file with (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:14
S2	38	vector near5 register near5 file same (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:17
S3	21	"712".clas. vector near5 register near5 file same (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:17

EAST Search History

S4	4	"5996057".pn. or "5832290".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 14:35
S5	1	S4 (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:28
S6	475	subcolumn or sub-column	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:28
S7'	34	(access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (subcolumn or sub-column)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:30
S8	1	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (subcolumn or sub-column)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:31
S9	191	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:32
S10	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:32
S11	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:33
S12	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) same row\$1 same column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:33
S13	0	"712".clas. vector SIMD row\$1 same column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S14	0	"712".clas. vector SIMD row\$1 same column\$2 same (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34

EAST Search History

S15	2602	(halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S16	555	vector same register\$1 (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S17	66	vector same register\$1 same (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S18	2	vector same register\$1 same (halfword or half-word or "half word") same row\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S19	2	vector same register\$1 same (halfword or half-word or "half word") same row\$1 same column\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:35
S20	5	vector same partial adj10 register same row\$1 same column\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S21	196	vector SIMD register\$1 (halfword or "half word" or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S22	102	vector SIMD register\$1 with (halfword or "half word" or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S23	84	vector SIMD register\$1 with (halfword or "half word" or half-word) column\$2 row\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:39
S24	86	vector SIMD register\$1 with (halfword or "half word" or half-word) ((column\$2 row\$1) or matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:40
S25	80	vector SIMD register\$1 with (halfword or "half word" or half-word) ((column\$2 row\$1) and (matrix or matrices))	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:40
S26	5329	address\$4 adj row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:47

EAST Search History

S27	0	address\$4 near8u row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S28	31677	address\$4 near8 row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S29	98	"712".clas. simd vector address\$4 near8 row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S30	30	"712".clas. simd vector address\$4 near8 row\$1 with column\$2 same register\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S31	61	vector near5 register\$1 with addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:09
S32	33	"712".clas. vector near5 register\$1 with addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S33	0	"712".clas. vector near5 register\$1 with column near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:11
S34	0	"712".clas. vector same register\$1 with column near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:12
S35	1	"712".clas. vector same register\$1 with (column or row) near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:12
S36	399	mov near5 instruction with register	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 14:44
S37	227	"712".clas. mov near5 instruction with register	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:10
S38	3	"712".clas. mov near5 instruction with register with (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:11

EAST Search History

S39	4	"712".clas. mov near5 instruction with register same (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:12
S40	45	"712".clas. move near5 instruction with register with (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:14
S41	118	"712".clas. move near5 instruction same register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:14
S42	31	"712".clas. move near5 instruction vector near2 register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S43	1	"712".clas. move near5 instruction same vector near2 register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:15
S44	44	vector near2 (move or copy) near2 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S45	33	vector near1 (move or copy) near1 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S46	31	vector near1 move near1 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:10
S47	13	vector adj2 move adj2 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:54
S48	6	vector adj2 move adj2 instruction with register\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:55
S49	1042	(access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or register or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:26

EAST Search History

S50	591	"712".clas. (access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or register or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:26
S51	18	"712".clas. (access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:32
S54	143	712/4.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S55	1	712/4.ccls. matrix subcolumn	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S56	1	712/4.ccls. subcolumn	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S57	56	712/4.ccls. matrix	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S58	0	712/4.ccls. matrix adressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:34
S59	30	712/4.ccls. matrix addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:35
S60	4	712/4.ccls. matrix addressable same column same row	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:35
S61	91	"vector register file" same (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29
S62	62	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29

EAST Search History

S63	0	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2) same advantage\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29
S64	102	"vector register file" same (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S65	102	S64	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S66	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S67	66	S66	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L2	66	L1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L3	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L4	66	L3	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L5	11	"L data elements".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L6	1	"K subcolumns".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:01
L7	0	"mapping the data elements".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:02
L8	1	"M vector register".clm.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/07/19 13:02
S1	20	vector near5 register near5 file with (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:14
S2	38	vector near5 register near5 file same (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:17
S3	21	"712".clas. vector near5 register near5 file same (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 09:17

EAST Search History

S4	4	"5996057".pn. or "5832290".pn.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 14:35
S5	1	S4 (matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:28
S6	475	subcolumn or sub-column	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:28
S7	34	(access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (subcolumn or sub-column)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:30
S8	1	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (subcolumn or sub-column)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:31
S9	191	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:32
S10	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 with (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:32
S11	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) with row\$1 with column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:33
S12	0	"712".clas. vector SIMD (access\$4 or stor\$4 or retriev\$4 or load\$4 or address\$4) same row\$1 same column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:33
S13	0	"712".clas. vector SIMD row\$1 same column\$2 same (halfword or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S14	0	"712".clas. vector SIMD row\$1 same column\$2 same (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34

EAST Search History

S15	2602	(halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S16	555	vector same register\$1 (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S17	66	vector same register\$1 same (halfword or half-word or "half word")	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S18	2	vector same register\$1 same (halfword or half-word or "half word") same row\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:34
S19	2	vector same register\$1 same (halfword or half-word or "half word") same row\$1 same column\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:35
S20	5	vector same partial adj10 register same row\$1 same column\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S21	196	vector SIMD register\$1 (halfword or "half word" or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S22	102	vector SIMD register\$1 with (halfword or "half word" or half-word)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:37
S23	84	vector SIMD register\$1 with (halfword or "half word" or half-word) column\$2 row\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:39
S24	86	vector SIMD register\$1 with (halfword or "half word" or half-word) ((column\$2 row\$1) or matrix or matrices)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:40
S25	80	vector SIMD register\$1 with (halfword or "half word" or half-word) ((column\$2 row\$1) and (matrix or matrices))	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:40
S26	5329	address\$4 adj row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:47

EAST Search History

S27	0	address\$4 near8u row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S28	31677	address\$4 near8 row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S29	98	"712".clas. simd vector address\$4 near8 row\$1 with column\$2	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S30	30	"712".clas. simd vector address\$4 near8 row\$1 with column\$2 same register\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/02/28 16:48
S31	61	vector near5 register\$1 with addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:09
S32	33	"712".clas. vector near5 register\$1 with addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S33	0	"712".clas. vector near5 register\$1 with column near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:11
S34	0	"712".clas. vector same register\$1 with column near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:12
S35	1	"712".clas. vector same register\$1 with (column or row) near5 addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/01 12:12
S36	399	mov near5 instruction with register	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 14:44
S37	227	"712".clas. mov near5 instruction with register	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:10
S38	3	"712".clas. mov near5 instruction with register with (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:11

EAST Search History

S39	4	"712".clas. mov near5 instruction with register same (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:12
S40	45	"712".clas. move near5 instruction with register with (vector or array)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:14
S41	118	"712".clas. move near5 instruction same register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:14
S42	31	"712".clas. move near5 instruction vector near2 register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S43	1	"712".clas. move near5 instruction same vector near2 register near2 file	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 15:15
S44	44	vector near2 (move or copy) near2 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S45	33	vector near1 (move or copy) near1 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:09
S46	31	vector near1 move near1 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:10
S47	13	vector adj2 move adj2 instruction	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:54
S48	6	vector adj2 move adj2 instruction with register\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/03/03 16:55
S49	1042	(access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or register or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:26

EAST Search History

S50	591	"712".clas. (access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or register or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:26
S51	18	"712".clas. (access\$4 or select\$4 or address\$4 or read\$4 or writ\$4) near5 ("same" or first or last or respective) near5 (element or word) near5 "register file"	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:32
S54	143	712/4.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S55	1	712/4.ccls. matrix subcolumn	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S56	1	712/4.ccls. subcolumn	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S57	56	712/4.ccls. matrix	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:33
S58	0	712/4.ccls. matrix adressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:34
S59	30	712/4.ccls. matrix addressable	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:35
S60	4	712/4.ccls. matrix addressable same column same row	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/07/28 13:35
S61	91	"vector register file" same (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29
S62	62	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29

EAST Search History

S63	0	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2) same advantage\$1	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2006/08/08 16:29
S64	102	"vector register file" same (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S65	102	S64	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S66	66	"vector register file" with (mux\$2 or multiplexer\$2 or multiplexor\$2)	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18
S67	66	S66	US-PGPUB; USPAT; USOCR; DERWENT	AND	OFF	2007/06/10 20:18